ELSEVIER

Developmental Brain Research 78 (1994) 298–299

DEVELOPMENTAL BRAIN RESEARCH

Author Index

Andersen, S.L. and Gazzara, R.A.
The development of D_2 autoreceptor-mediated modulation of K^+-evoked dopamine release in the neostriatum (78) 123
Ando, S., see Igarashi, M. (78) 17
Azmitia, E.C., see Kramer, K. (78) 142

Babb, T.L., see Mathern, G.W. (78) 70
Baudry, M., see Fitzpatrick, J.S. (78) 81
Beal, J.A. and Bice, T.N.
Neurogenesis of spinothalamic and spinocerebellar tract neurons in the lumbar spinal cord of the rat (78) 49
Bice, T.N., see Beal, J.A. (78) 49
Black, I.B., see Yokoyama, M. (78) 201
Blasevich, M., see Petroni, A. (78) 169
Boelen, M.K., see Dowton, M. (78) 65
Burek, M.J., Nordeen, K.W. and Nordeen, E.J.
Ontogeny of sex differences among newly-generated neurons of the juvenile avian brain (78) 57
Burgunder, J.-M.
Ontogeny of somatostatin gene expression in rat forebrain (78) 109
Buwalda, B., Naber, R., Nyakas, C. and Luiten, P.G.M.
Nimodipine accelerates the postnatal development of parvalbumin and S-100β immunoreactivity in the rat brain (78) 210

Chance, B., see Yoshioka, H. (78) 273
Chen, S.T., Von Bussmann, K.A., Garey, L.J. and Jen, L.S.
Protein gene product 9.5-immunoreactive retinal neurons in normal developing rats and rats with optic nerve or tract lesion (78) 265
Colombo, C., see Petroni, A. (78) 169
Cordero, M.L., Ortiz, J.G. and Santiago, G.
High affinity [^{3}H]glutamate uptake systems in normal and audiogenic seizure-susceptible mice (78) 44
Crandall, J.E., see Schwarting, G.A. (78) 191
Crook, T.J., see Kitchen, I. (78) 147
Curfs, M.H.J.M., Gribnau, A.A.M. and Dederen, P.J.W.C.
Selective elimination of transient corticospinal projections in the rat cervical spinal cord gray matter (78) 182

Dederen, P.J.W.C., see Curfs, M.H.J.M. (78) 182
De Vries, T.J., Jonker, A.J., Voorn, P., Mulder, A.H. and Schoffelmeer, A.N.M.
Adaptive changes in rat striatal preproenkephalin expression and dopamine–opioid interactions upon chronic haloperidol treatment during different developmental stages (78) 175
Di Pasquale, E., Monteau, R. and Hilaire, G.
Involvement of the rostral ventro-lateral medulla in respiratory rhythm genesis during the peri-natal period: an in vitro study in newborn and fetal rats (78) 243
Dowton, M., Boelen, M.K. and Morgan, I.G.
Somatostatin-14 and somatostatin-28 levels are light-driven and vary during development in the chicken retina (78) 65
Dreyfus, C.F., see Yokoyama, M. (78) 201
Drinkwater, D., see Schwarting, G.A. (78) 191

Ebel, A., see Thiriet, G. (78) 102
Edlund, M., see Sawa, H. (78) 35
Eller, P.M., see Johnson, E.W. (78) 259

Fernald, R.D., see Francis, R.C. (78) 151
Filloux, F., Schapper, A., Naisbitt, S.R., Olivera, B.M. and McIntosh, J.M.
Complex patterns of [^{125}I]ω-conotoxin GVIA binding site expression during postnatal rat brain development (78) 131
Fitzpatrick, J.S. and Baudry, M.
Blockade of long-term depression in neonatal hippocampal slices by a phospholipase A_2 inhibitor (78) 81
Francis, R.C., Lee, H.N. and Fernald, R.D.
Ontogeny of gonadotropin releasing hormone-containing neurons in the teleost brain (78) 151
Fujii, J.T. and Knapp, P.E.
Characterization and development of glial and other non-neuronal cells in chick Edinger Westphal cultures (78) 217

Galella, G., see Petroni, A. (78) 169
Galli, C., see Petroni, A. (78) 169
Garey, L.J., see Chen, S.T. (78) 265
Gazzara, R.A., see Andersen, S.L. (78) 123
Gerstberger, R., see Müller, A.R. (78) 10
Gibbs, M.E., see O'Dowd, B.S. (78) 137
Goma, H., see Yoshioka, H. (78) 273
Graziadei, P.P.C., see Ichikawa, M. (78) 1
Gribnau, A.A.M., see Curfs, M.H.J.M. (78) 182

Halfter, W., Yip, Y.P.L. and Yip, J.W.
Axonin 1 is expressed primarily in subclasses of avian sensory neurons during outgrowth (78) 87

Hayakawa, K., see Stewart, P.A. (78) 25
Hertz, E., see O'Dowd, B.S. (78) 137
Hertz, L., see O'Dowd, B.S. (78) 137
Hilaire, G., see Di Pasquale, E. (78) 243
Hill, R.G., see Kitchen, I. (78) 147
Hrabe, J., see Jiang, X. (78) 291

Ichikawa, M., Takami, S., Osada, T. and Graziadei, P.P.C.
Differential development of binding sites of two lectins in the vomeronasal axons of the rat accessory olfactory bulb (78) 1
Igarashi, M., Waki, H., Saito, S., Komiya, Y. and Ando, S.
Characteristics of gangliosides including *O*-acetylated species in growth cone membranes at several developmental stages in rat forebrain (78) 17

Jafek, B.W., see Johnson, E.W. (78) 259
Jen, L.S., see Chen, S.T. (78) 265
Jiang, X., Naik, M.U., Hrabe, J. and Sacktor, T.C.
Developmental expression of the protein kinase C family in rat hippocampus (78) 291
Johnson, E.W., Eller, P.M. and Jafek, B.W.
Protein gene product 9.5 in the developing and mature rat vomeronasal organ (78) 259
Jonker, A.J., see De Vries, T.J. (78) 175
Joosten, E.A.J.
Developmental expression of N-CAM epitopes in the rat spinal cord during corticospinal tract axon outgrowth and target innervation (78) 226

Kamada, K., see Sawa, H. (78) 35
Kashon, M.L. and Sisk, C.L.
Pubertal maturation is associated with an increase in the number of androgen receptor-immunoreactive cells in the brains of male ferrets (78) 237
Kawarada, Y., see Keino, H. (78) 161
Keino, H., Masaki, S., Kawarada, Y. and Naruse, I.
Apoptotic degeneration in the arhinencephalic brain of the mouse mutant *Pdn/Pdn* (78) 161
Kempf, E., see Thiriet, G. (78) 102
Kitchen, I., Crook, T.J., Muhammad, B.Y. and Hill, R.G.
Evidence that weaning stimulates the developmental expression of a δ-opioid receptor subtype in the rat (78) 147
Knapp, P.E., see Fujii, J.T. (78) 217

ELSEVIER

Developmental Brain Research 78 (1994) 298–299

DEVELOPMENTAL BRAIN RESEARCH

Author Index

Andersen, S.L. and Gazzara, R.A.
The development of D_2 autoreceptor-mediated modulation of K^+-evoked dopamine release in the neostriatum (78) 123
Ando, S., see Igarashi, M. (78) 17
Azmitia, E.C., see Kramer, K. (78) 142

Babb, T.L., see Mathern, G.W. (78) 70
Baudry, M., see Fitzpatrick, J.S. (78) 81
Beal, J.A. and Bice, T.N.
Neurogenesis of spinothalamic and spinocerebellar tract neurons in the lumbar spinal cord of the rat (78) 49
Bice, T.N., see Beal, J.A. (78) 49
Black, I.B., see Yokoyama, M. (78) 201
Blasevich, M., see Petroni, A. (78) 169
Boelen, M.K., see Dowton, M. (78) 65
Burek, M.J., Nordeen, K.W. and Nordeen, E.J.
Ontogeny of sex differences among newly-generated neurons of the juvenile avian brain (78) 57
Burgunder, J.-M.
Ontogeny of somatostatin gene expression in rat forebrain (78) 109
Buwalda, B., Naber, R., Nyakas, C. and Luiten, P.G.M.
Nimodipine accelerates the postnatal development of parvalbumin and S-100β immunoreactivity in the rat brain (78) 210

Chance, B., see Yoshioka, H. (78) 273
Chen, S.T., Von Bussmann, K.A., Garey, L.J. and Jen, L.S.
Protein gene product 9.5-immunoreactive retinal neurons in normal developing rats and rats with optic nerve or tract lesion (78) 265
Colombo, C., see Petroni, A. (78) 169
Cordero, M.L., Ortiz, J.G. and Santiago, G.
High affinity [^{3}H]glutamate uptake systems in normal and audiogenic seizure-susceptible mice (78) 44
Crandall, J.E., see Schwarting, G.A. (78) 191
Crook, T.J., see Kitchen, I. (78) 147
Curfs, M.H.J.M., Gribnau, A.A.M. and Dederen, P.J.W.C.
Selective elimination of transient corticospinal projections in the rat cervical spinal cord gray matter (78) 182

Dederen, P.J.W.C., see Curfs, M.H.J.M. (78) 182
De Vries, T.J., Jonker, A.J., Voorn, P., Mulder, A.H. and Schoffelmeer, A.N.M.
Adaptive changes in rat striatal preproenkephalin expression and dopamine–opioid interactions upon chronic haloperidol treatment during different developmental stages (78) 175
Di Pasquale, E., Monteau, R. and Hilaire, G.
Involvement of the rostral ventro-lateral medulla in respiratory rhythm genesis during the peri-natal period: an in vitro study in newborn and fetal rats (78) 243
Dowton, M., Boelen, M.K. and Morgan, I.G.
Somatostatin-14 and somatostatin-28 levels are light-driven and vary during development in the chicken retina (78) 65
Dreyfus, C.F., see Yokoyama, M. (78) 201
Drinkwater, D., see Schwarting, G.A. (78) 191

Ebel, A., see Thiriet, G. (78) 102
Edlund, M., see Sawa, H. (78) 35
Eller, P.M., see Johnson, E.W. (78) 259

Fernald, R.D., see Francis, R.C. (78) 151
Filloux, F., Schapper, A., Naisbitt, S.R., Olivera, B.M. and McIntosh, J.M.
Complex patterns of [^{125}I]ω-conotoxin GVIA binding site expression during postnatal rat brain development (78) 131
Fitzpatrick, J.S. and Baudry, M.
Blockade of long-term depression in neonatal hippocampal slices by a phospholipase A_2 inhibitor (78) 81
Francis, R.C., Lee, H.N. and Fernald, R.D.
Ontogeny of gonadotropin releasing hormone-containing neurons in the teleost brain (78) 151
Fujii, J.T. and Knapp, P.E.
Characterization and development of glial and other non-neuronal cells in chick Edinger Westphal cultures (78) 217

Galella, G., see Petroni, A. (78) 169
Galli, C., see Petroni, A. (78) 169
Garey, L.J., see Chen, S.T. (78) 265
Gazzara, R.A., see Andersen, S.L. (78) 123
Gerstberger, R., see Müller, A.R. (78) 10
Gibbs, M.E., see O'Dowd, B.S. (78) 137
Goma, H., see Yoshioka, H. (78) 273
Graziadei, P.P.C., see Ichikawa, M. (78) 1
Gribnau, A.A.M., see Curfs, M.H.J.M. (78) 182

Halfter, W., Yip, Y.P.L. and Yip, J.W.
Axonin 1 is expressed primarily in subclasses of avian sensory neurons during outgrowth (78) 87

Hayakawa, K., see Stewart, P.A. (78) 25
Hertz, E., see O'Dowd, B.S. (78) 137
Hertz, L., see O'Dowd, B.S. (78) 137
Hilaire, G., see Di Pasquale, E. (78) 243
Hill, R.G., see Kitchen, I. (78) 147
Hrabe, J., see Jiang, X. (78) 291

Ichikawa, M., Takami, S., Osada, T. and Graziadei, P.P.C.
Differential development of binding sites of two lectins in the vomeronasal axons of the rat accessory olfactory bulb (78) 1
Igarashi, M., Waki, H., Saito, S., Komiya, Y. and Ando, S.
Characteristics of gangliosides including *O*-acetylated species in growth cone membranes at several developmental stages in rat forebrain (78) 17

Jafek, B.W., see Johnson, E.W. (78) 259
Jen, L.S., see Chen, S.T. (78) 265
Jiang, X., Naik, M.U., Hrabe, J. and Sacktor, T.C.
Developmental expression of the protein kinase C family in rat hippocampus (78) 291
Johnson, E.W., Eller, P.M. and Jafek, B.W.
Protein gene product 9.5 in the developing and mature rat vomeronasal organ (78) 259
Jonker, A.J., see De Vries, T.J. (78) 175
Joosten, E.A.J.
Developmental expression of N-CAM epitopes in the rat spinal cord during corticospinal tract axon outgrowth and target innervation (78) 226

Kamada, K., see Sawa, H. (78) 35
Kashon, M.L. and Sisk, C.L.
Pubertal maturation is associated with an increase in the number of androgen receptor-immunoreactive cells in the brains of male ferrets (78) 237
Kawarada, Y., see Keino, H. (78) 161
Keino, H., Masaki, S., Kawarada, Y. and Naruse, I.
Apoptotic degeneration in the arhinencephalic brain of the mouse mutant *Pdn/Pdn* (78) 161
Kempf, E., see Thiriet, G. (78) 102
Kitchen, I., Crook, T.J., Muhammad, B.Y. and Hill, R.G.
Evidence that weaning stimulates the developmental expression of a δ-opioid receptor subtype in the rat (78) 147
Knapp, P.E., see Fujii, J.T. (78) 217

Komiya, Y., see Igarashi, M. (78) 17
Kondo, A., see Sawa, H. (78) 35
Kramer, K., Azmitia, E.C. and Whitaker-Azmitia, P.M.
In vitro release of [^{3}H]5-hydroxytryptamine from fetal and maternal brain by drugs of abuse (78) 142

Lee, H.N., see Francis, R.C. (78) 151
Leite, J.P., see Mathern, G.W. (78) 70
Lipska, B.K. and Weinberger, D.R.
Gonadectomy does not prevent novelty or drug-induced motor hyperresponsiveness in rats with neonatal hippocampal damage (78) 253
Luiten, P.G.M., see Buwalda, B. (78) 210

Masaki, S., see Keino, H. (78) 161
Masumura, M., see Yoshioka, H. (78) 273
Mathern, G.W., Leite, J.P., Pretorius, J.K., Quinn, B., Peacock, W.J. and Babb, T.L.
Children with severe epilepsy: evidence of hippocampal neuron losses and aberrant mossy fiber sprouting during postnatal granule cell migration and differentiation (78) 70
McIntosh, J.M., see Filloux, F. (78) 131
Miyake, H., see Yoshioka, H. (78) 273
Monteau, R., see Di Pasquale, E. (78) 243
Morgan, I.G., see Dowton, M. (78) 65
Morrison, R.S., see Yokoyama, M. (78) 201
Muhammad, B.Y., see Kitchen, I. (78) 147
Mulder, A.H., see De Vries, T.J. (78) 175
Müller, A.R. and Gerstberger, R.
Ontogenesis of the angiotensin II (ANGII) receptor system in the duck brain (78) 10
Muske, L.E., see Northcutt, R.G. (78) 279

Naber, R., see Buwalda, B. (78) 210
Naik, M.U., see Jiang, X. (78) 291
Naisbitt, S.R., see Filloux, F. (78) 131
Naruse, I., see Keino, H. (78) 161
Ng, K.T., see O'Dowd, B.S. (78) 137
Nioka, S., see Yoshioka, H. (78) 273
Nordeen, E.J., see Burek, M.J. (78) 57
Nordeen, K.W., see Burek, M.J. (78) 57
Northcutt, R.G. and Muske, L.E.
Multiple embryonic origins of gonadotropin-releasing hormone (GnRH) immunoreactive neurons (78) 279
Nyakas, C., see Buwalda, B. (78) 210

Öbrink, B., see Sawa, H. (78) 35
Ochi, M., see Yoshioka, H. (78) 273
O'Dowd, B.S., Gibbs, M.E., Ng, K.T., Hertz, E. and Hertz, L.
Astrocytic glycogenolysis energizes memory processes in neonate chicks (78) 137
Olivera, B.M., see Filloux, F. (78) 131
Ortiz, J.G., see Cordero, M.L. (78) 44
Osada, T., see Ichikawa, M. (78) 1

Papini, N., see Petroni, A. (78) 169
Peacock, W.J., see Mathern, G.W. (78) 70
Petroni, A., Salami, M., Blasevich, M., Papini, N., Galella, G., Colombo, C. and Galli, C.
Eicosanoid and inositol phosphate response to platelet-activating factor (PAF) and to a PAF antagonist in rat astroglial cells (78) 169
Pretorius, J.K., see Mathern, G.W. (78) 70

Quinn, B., see Mathern, G.W. (78) 70

Sacktor, T.C., see Jiang, X. (78) 291
Saito, I., see Sawa, H. (78) 35
Saito, S., see Igarashi, M. (78) 17
Salami, M., see Petroni, A. (78) 169
Santiago, G., see Cordero, M.L. (78) 44
Sato, H., see Sawa, H. (78) 35
Sawa, H., Kamada, K., Sato, H., Sendo, S., Kondo, A., Saito, I., Edlund, M. and Öbrink, B.
C-CAM expression in the developing rat central nervous system (78) 35
Sawada, T., see Yoshioka, H. (78) 273
Schapper, A., see Filloux, F. (78) 131
Schoffelmeer, A.N.M., see De Vries, T.J. (78) 175
Schwarting, G.A., Drinkwater, D. and Crandall, J.E.
A unique neuronal glycolipid defines rostrocaudal compartmentalization in the accessory olfactory system of rats (78) 191
Sendo, S., see Sawa, H. (78) 35
Sisk, C.L., see Kashon, M.L. (78) 237
Stewart, P.A. and Hayakawa, K.
Early ultrastructural changes in blood–brain barrier vessels of the rat embryo (78) 25

Takami, S., see Ichikawa, M. (78) 1
Thiriet, G., Kempf, E. and Ebel, A.
Cholinergic modulation through biogenic amines during development of the chick spinal cord (78) 102

Von Bussmann, K.A., see Chen, S.T. (78) 265
Voorn, P., see De Vries, T.J. (78) 175

Waki, H., see Igarashi, M. (78) 17
Weinberger, D.R., see Lipska, B.K. (78) 253
Whitaker-Azmitia, P.M., see Kramer, K. (78) 142

Yip, J.W., see Halfter, W. (78) 87
Yip, Y.P.L., see Halfter, W. (78) 87
Yokoyama, M., Morrison, R.S., Black, I.B. and Dreyfus, C.F.
Septal neuron cholinergic and GABAergic functions: differential regulation by basic fibroblast growth factor and epidermal growth factor (78) 201
Yoshioka, H., Goma, H., Nioka, S., Ochi, M., Miyake, H., Zaman, A., Masumura, M., Sawada, T. and Chance, B.
Bilateral carotid artery occlusion causes periventricular leukomalacia in neonatal dogs (78) 273

Zaman, A., see Yoshioka, H. (78) 273